

Amp300

Wireless-N high-power router

ARN03304A1



HIGH POWER ROUTER



Wireless-N
300Mbps



Expanded coverage
Three high-gain antennas



Advanced filtering
Encrypted security



Multiple SSID
Segmented network



Wake on LAN
Remote power management

Extended coverage: stellar performance to amplify your wireless network

Overview

The **Amp300** router delivers superior wireless performance based on 802.11n technology. This router emerges as a true all-in-one solution by bringing together a wireless access point, a four-port switch and firewall. The three antennas provide powerful coverage that penetrates walls and eliminates dead spots, ideal for large homes, open spaces, offices and hard to reach areas. Ultra-fast MIMO technology (*Multiple Input Multiple Output*) allows HD streaming, the transfer of large data files and multiplayer gaming. Easy to set up and operate, this router provides easy access to printers, storage drives, home theater equipment and other ethernet enabled devices from multiple connected computers, all done over a secure and stable network.

Highlights

- High-power router for increased coverage
- Delivers wireless speeds up to 300Mbps
- Features one (1) WAN and four (4) LAN 10/100Mbps ports
- Wireless router, AP, WISP repeater and universal repeater
- Green AP - transmission power control
- Multiple SSID simultaneous transmission
- Single and multiple port forwarding
- VPN and FTP pass through
- Extensive filtering options: IP, MAC, URL, Host, QQ
- Bandwidth control prioritizes traffic for bandwidth intense applications
- Advanced wireless encrypted security
- Wake-on-LAN-ready
- WDS wireless bridge to easily connect and expand your network



*2-year standard warranty plus a 3-year extension with online registration

Amp300

Wireless-N high-power router

ARN03304A1

www.nexxtsolutions.com

Technical specifications

Amp300	
Hardware features	
Standards	IEEE802.3, IEEE802.3u
Protocols	CSMA/CA, CSMA/CD, TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, IPv4
Ports and interface	One 10/100Mbps WAN port Four 10/100Mbps LAN ports
Antennas	Three 5dBi omnidirectional
Buttons	Reset, WPS
LED indicators	System/Power, WPS, 2.4G, 5G, LAN
Wireless features	
Standards	IEEE 802.11 b/g/n 2.4GHz
Frequency band	2.4GHz
Wireless rate	2.4GHz: 300Mbps
Radio data rate	IEEE 802.11n: up to 300Mbps
	IEEE 802.11g: up to 54Mbps
	IEEE 802.11b: up to 11Mbps
Channels	2.4G :1-13
Channel width	20MHz / 40MHz
Security	WPA-PSK/WPA2-PSK, WPA-PSK, WPA2-PSK, OPEN WEP
Operation modes	AP, WISP repeater and repeater
Wireless function	Wireless security: enable/disable
	WPS (WiFi Protected Set-up) fast encryption
	SSID broadcast: enable/disable
	Transmission power control
	Wi-Fi multimedia (WMM): enable/disable
	AP isolation: Enable/Disable
	ACL (access control list)
	Beamforming technology
RF power	2.4GHz: 11g: 18dBm, HT20MCS7: 18dBm, HT40MCS7: 17dBm
Software features	
Internet connection type	Dynamic IP, PPPoE, Static IP
DHCP	DHCP server, DHCP client, DHCP server disabled
Security	IP binding, ACL (black/white list), firewall, remote management
Firewall	IP filtering, MAC filtering, URL filtering, Host filtering,
Bandwidth control	IP login settings, block port scanning, block SYN flood, SPI firewall
	Included
DDNS	3322.org / ods.org / no-ip / dhs.org / easydns / DynDNS.org freedns.afraid.org / zoneedit / tzo / sitelutions / dnsomatic / zerigo
Virtual server	Port forwarding, DMZ host, UPnP
VPN	Passthrough: PPTP, L2TP, IPSec
Other advanced function	Network diagnosis, Bandwidth control, Guest network, Traffic control, NTP settings, MAC clone, Static routing, System tool, System log, Backup and restore, Firmware update, Network statistics
Environment	
Operating temperature	32°F-104°F
Storage temperature	-40°F -158°F
Relative humidity	Operating humidity: 10%-90% non-condensing
	Storage humidity: 5%-90% non-condensing
Physical appearance	
Housing	ABS plastic
Color	Black
Dimensions	7.3x5.4x1in
Weight	0.5lb
Additional information	
Power	5V/1A
Certificates	FCC
Warranty	Five years*

*2-year standard warranty plus a 3-year extension with online registration

